## IT'S TIME FOR EFFICIENT 3D DIAGNOSIS

### X MIND prime



# 3D DIAGNOSIS IS MORE ACCESSIBLE THAN EVER WITH A SMART E COMPACT SOLUTION



### ACTEON INNOVATIVE IMAGING

X-MIND<sup>®</sup> PRIME is a smart solution, providing high-technology capabilities and simplicity of use.

**This ingenious unit** offers all essential diagnostic tools in a cost effective package. 56 2D and 3D exams to cover all your clinical applications

to edit your implant report with the intuitive AIS software

1 to 1 Face-to-face patient positioning


Footprint space with the innovative wall mounted system

100% Mac® and Windows® compatible with AIS software



## PROVIDE A COMPREHENSIVE CLINICAL OVERVIEW

## IMPLANTOLOGY CLINICAL CASE




### INITIAL SITUATION

Reconstructed panoramic Complete analysis, no molar present in the third quadrant (lower left). The remaining molar (31-fourth quadrant, lower right) has to be extracted and the bridge has to be removed. Modification of the crown present on 29.

## FROM DIAGNOSIS TO TREATMENT, REMOVE THE GUESSWORK

- Choose your 2D and 3D examination
- with your patient



### **IMPLANT PLANNING**

Full dental volume


Virtually add two implants on 19 and 18 to place molar on the third quadrant. Extraction of 31 and the crown (fourth quadrant) by two implants on 30, 31.





### **POST PROCEDURE**


Patient follow-up with a panoramic exam





## RELY ON A COMPLETE SET OF PANORAMIC EXAMS

X-Mind<sup>®</sup> prime offers a full set of panoramic exams tailored to meet all your clinical applications. It provides all the panoramic exams required for general dentistry: dental panoramic, temporomandibular joints, sinuses.



### DENTAL PANORAMIC

Complete overview of the mandible and maxilla, maxillary sinuses, temporomandibular joints and supporting structures.






HALF-PANORAMIC Left & Right *Reduce the exposed area and focus* on the region of interest.



### BITEWING Left & Right



### MAXILLARY SINUSES

Raised image in order to increase the visibility of the sinus and the apices of the upper teeth.



Examination can be carried out with the mouth either open or closed.





Single or bilateral bitewing views.




FRONTAL Limit the exposure to the front of the arches.


## STEP INTO 3D IMAGING AND EXPAND YOUR CLINICAL APPLICATIONS

### EFFICIENT 3D SOLUTION WITHIN EVERYONE'S REACH

X-Mind<sup>®</sup> prime 3D offers a multitude of acquisition programs thanks to its multiple FOV (12x10cm, 8.5x9.3cm, 8.5x5cm, and 5x5cm). Once you select the region of interest of the examination, the settings and dose are automatically adjusted.




Full dentition and sinus volume - 12x10cm



TMJ analysis - 8.5x9.3cm

# Mandibular volume (8.5 x 5cm) Mandibular volume Mandib

Full volume for pathological research - 8.5x5cm



Sinuses caused by multiple dental infections - 5x5cm

### SEVERAL FOV FOR MANY APPLICATIONS

- Full dentition
- Single jaw (maxillary / mandibular)
- Maxillary teeth
  - (right molars/right premolars/incisor/left Molars/left premolars)

## SCAN 3D OBJECTS

X-Mind<sup>®</sup> prime's dedicated holder allows for scans of 3D models in various materials and designs (impressions, stone models, appliances, etc.). Easily export data in STL format!



- Mandibular teeth (right molars/right premolars/incisor/ Left molars/left premolars)
- TMJ (right/left)
- **Sinus**

## DIAGNOSE WITH THE HIGHEST QUALITY 2D & 3D IMAGES LARGE DIVERSITY OF APPLICATIONS

X-Mind<sup>®</sup> prime provides many applications dedicated to the needs of both specialists and general practitioners.

Evaluate detailed morphology of bone tissue




Apical lesion on 10 with bone destruction and extended to 9

Examine maxillofacial diseases



Cyst on fourth quadrant (lower right), with bone destruction

Determine the protocol to extract impacted teeth



Impacted canine (6)

Explore the maxillary sinus



Maxillary sinus analysis

### Detect dental anomalies



Bone loss on 9, 10, 14

Diagnose temporomandibular joint disorders





## ACCURATE IMAGES FOR IMPROVED DIAGNOSIS

With a minimum voxel size of 87.5  $\mu$ m, you will get detailed three-dimensional reconstructions, able to highlight the smallest anatomical elements.



## COMPLETE YOUR DIAGNOSIS & TREATMENT PLANNING WITH SPEED & EFFICIENCY

### OPTIMIZE YOUR DIAGNOSIS TIME WITH POWERFUL, INTUITIVE AND HIGH-PRECISION SOFTWARE






## ADVANCED FUNCTIONALITY FUR INTUITIVE NAVIGATION

AIS software allows you to manage panoramic and CBCT images from acquisition to viewing.

- Implant planning
- Crown placement
- Mandibular nerve tracing
- Easy navigation in different sections
- Surface, distance and angle measurement
- Substantial and scalable implant library
- Printed implant report





Clean lines User-friendly Open architecture Full integration Advanced functionalities




- Sharing of information on a network
- Cases exported on a CD or USB stick
- Export in STL format
- Metal artifact reduction filter
- Panoramic and cephalometric image detail optimization filter
- ENT module
- Virtual endoscope
- Integrates with various patient management software
- DICOM compatible

## EASILY PLAN YOUR TREATMENT WITH A DIGITAL WORKFLOW


## IMPLANT PLANNING MADE EASY

Delivered with the smart AIS software, X-Mind<sup>®</sup> prime is an essential tool for treatment planning and post-procedure follow-up.

### Draw a panoramic curve




Dental panoramic wizard



Reconstructed panoramic view

> Trace the mandibular canal and measure the distance between the upper canal boundary and the upper mandibular crestal bone



Localization of the implant and the mandibular canal


The Dual scan protocol will help you better position the implants in regards to the soft tissues due to the overlapping function. Scan the patient appliance with the X-Mind® prime's 3D scan objects feature. Generate its surface and export it in STL file. Then this file will be used for the matching with the patient scan.

Select the correct implant from a large library




Place your implants

### Print your illustrated and complete implant report in less than a minute



Implant report



Appliance surface generation

ACTEC	JN		PLANNING OVER	VIEW			
		<b>.</b> .	PLANNING OVER	view	22	ioles:	
	A. A	202	-				
	SU ↓	Ma	no in 🖍				
	1.500 C 100						
	5	pur-					
-	S.	<u> </u>		-	-		
	Header	Hand Hand	50	Aller	Autoret das	Beer	Cultator saming
	<b>Nedetar</b>	Hand I	Bire 45.20 mm a 16.20 mm	Autore	Autowe day	Skew 0_304 ResOUDE CAD	Collaise saming No collage

## EASILY AND EFFICIENTLY POSITION YOUR PATIENT

ACTEON

To maximize productivity, X-Mind<sup>®</sup> prime is specifically designed to reduce the patient preparation time.

### SMOOTH PATIENT POSITIONING

Natural face-to-face positioning supported by alignment lasers



Whether sitting or standing at any height, the telescopic columns can be directly adjusted using the control panel.

X-Mind® prime open space configuration suits all types of patients and is easily accessible for wheelchair users with its zero footprint space.

## SIMPLE CONTROL PANEL

The intuitive control panel smartly located below the chin support provides streamlined and precise patient positioning. Simple settings and guick examination lead to a more productive patient workflow.



## OPTIMIZE THE SPACE WITHIN YOUR PRACTICE


## INTELLIGENT WALL MOUNTED SOLUTION

Compactness is key. X-Mind<sup>®</sup> prime is a space-saving device: with its smart wall-mounted system, it will never get in your way.

Its exceptional light weight (only 148 lbs for the 3D configuration) and its reduced size makes X-Mind<sup>®</sup> prime adaptable. It will fit the narrowest space.

With zero footprint, X-Mind<sup>®</sup> prime will not reduce precious workspace within your practice.

# ACTEON SERVICE



X-Mind<sup>®</sup> prime is ready to install! Delivered completely assembled at your practice, you are all set-up in only one hour.

As simple as one box, one technician, two steps and that's it!


It does not interrupt the daily work and operations of the office, helping you to save time.






Imaging Specialists are available to show you the clinical aspects and patient benefits of ACTEON<sup>®</sup> products.


Free, ongoing and unlimited technical service can be reached Monday to Friday during normal business hours.



### TECHNICAL SPECIFICATIONS

### X MIND prime





	X-Mind <sup>®</sup> prime 2D	X-Mind <sup>®</sup> prime 3D			
	X-RAY SOURCES				
Tube type	D-058 (Toshiba)	OPX 105-12 (CEI)			
Total filtration	2.0 mm AI eq. @ 70kVp	≥ 2.5 mm AI eq. @ 86 kVp			
Tube voltage	60 - 70 kV	60 - 86 kV			
Anodic current	2-7.1 mA	2-12.5 mA			
Focal spot	0.5 mm	0.5 mm			
	SENSOR				
Туре	CCD	CMOS Flat panel			
Pixel size	48 µm	120 μm			
Voxel size	n.a.	Minimum 87.5 µm			
	ACQUISITION				
PAN Programs	Panoramic (adult/child) - TMJ open/closed mouth in lateral projection - Maxillary sinuses (P-A) - Half panoramic (left/right) - Low dose panoramic - Frontal dentition - Ortho Rad Panoramic - Bitewing (left/right/double)				
3D Fields of view	n.a.	Full dentition (12 x 10cm) - Full dentition (8.5 x 9.3cm)* - Single jaw (8.5 x 5cm)* - Mandibular teeth (5 x 5cm) - Maxillary teeth (5 x 5cm) - TMJ (8.5 x 9.3cm)* - Sinus (8.5 x 9.3cm)*			
Exposure time	14.4 s.	7 s. (full dentition)			
Grey levels	4096 - 12 bits	65536 - 16 bits			
	MECHANICAL DATAS				
Footprint	43.6" x 37.5"	43.6″ x 37.5″			
Height	Max 86.2 inches	Max 86.2 inches			
Weight	Max 137 lbs	Max 148 lbs			
	IEC				

Class & Type Class I with type B applied parts according to IEC 60601-1 classification

\* Not available in Canada, where these volumes are limited to 80 x 80 mm or 80 x 50 mm.

	WORKSTATION MINIMUM REQUIREMENTS				
	PAN/CEPH WINDOWS (WORKSTATION)	CLIENT WINDOWS	CLIENT MAC OS		
Processor	Intel i5	Intel i5	Quadcore 2.6 GHz		
Hard Disk	1TB 7200 rpm	300 GB	300 GB		
RAM	8 GB	4 GB or 8 GB (for big FOV DICOM stacks)	4 GB or 8 GB (for big FOV DICOM stacks)		
Graphics card	OPEN GL 2.1 compatible (suggested an NVIDIA GT/GTX)	Nvidia Geforce or Nvidia Quadro with 1 GB dedicated RAM	Nvidia Geforce or Nvidia Quadro with 1 GB dedicated RAM		
Screen resolution	1600 x 1024	1600 x 1024	1600 x 1024		
Network card	INTEL CT 1000 pro	100 Mb for PAN/CEPH 1 Gb for CBCT	100 Mb for PAN/CEPH 1 Gb for CBCT		
Operating system	Windows 7 Professional 64 bits	Windows 7 64 bits	OS X Sierra (10.12)		